Amendments to the Claims

- 1. (Currently amended) An isolated or recombinant nucleic acid encoding a polypeptide comprising a nucleic acid sequence having at least 95% sequence identity to SEQ ID NO:2SEQ ID NO:1, wherein the isolated or recombinant nucleic acid encodes a polypeptide including therein at least one of: (1) a domain having the function of the BIR1 domain and (2) a domain having the function of the RING domain, the polypeptide inhibiting the activity of a caspase.
- 2. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide is capable of inhibiting apoptosis in insect cells.
- 3. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide is capable of inhibiting apoptosis in *Spodoptera frugipera* or *Bombyx mori* cells.
- 4. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide is capable of inhibiting apoptosis in mammalian cells.
- 5. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide is capable of inhibiting apoptosis in plant cells.
- 6. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide is capable of inhibiting caspase 9.
- 7. (Currently amended) An isolated or recombinant nucleic acid encoding a polypeptide having a sequence as set forth in comprising SEQ ID NO:2.
- 8. (Currently amended) An isolated or recombinant nucleic acid comprising a nucleic acid sequence as set forth in SEQ ID NO:1.
- 9. (Currently amended) An <u>isolated</u> expression cassette comprising at least one nucleic acid operably linked to a promoter, wherein the nucleic acid <u>encodes a polypeptide</u> comprises a

sequence having a 95% sequence identity to <u>SEQ ID NO:2SEQ ID NO:1</u>, wherein the nucleic acid encodes a polypeptide including therein at least one of: (1) a domain having the function of the BIR1 domain and (2) a domain having the function of the RING domain, the polypeptide inhibiting the activity of a caspase.

- 10. (Currently amended) The <u>isolated</u> expression of cassette of claim 9, wherein the promoter is a constitutive or inducible promoter.
- 11. (Currently amended) The <u>isolated</u> expression cassette of claim 9, wherein the promoter is a developmentally regulated or a tissue specific promoter.
- 12. (Currently amended) The <u>isolated</u> expression cassette of claim 9, wherein the nucleic acid encodes a polypeptide having a sequence as set forth incomprises SEQ ID NO:2.
- 13. (Currently amended) An isolated A transformed cell comprising transformed with a nucleic acid sequence encoding a polypeptide having at least 95% sequence identity to SEQ ID NO:2SEQ ID NO:1, wherein the nucleic acid encodes a polypeptide including therein at least one of: (1) a domain having the function of the BIR1 domain and (2) a domain having the function of the RING domain, the polypeptide inhibiting the activity of a caspase.
- 14. (Currently amended) The <u>isolated</u> transformed cell of claim 13, wherein the cell is a mammalian cell.
- 15. (Currently amended) The <u>isolated</u> transformed cell of claim 13, wherein the cell is an insect cell.
- 16. (Currently amended) The <u>isolated transformed</u> cell of claim 15, wherein the insect cell is a *Spodoptera frugiperda* cell or a *Bombyx mori* cell.
- 17. (Currently amended) The <u>isolated</u> transformed cell of claim 13, wherein the cell is a plant cell.

- 18. (Currently amended) The <u>isolated</u> transformed cell of claim 13, wherein the cell is a yeast cell.
- 19. (Currently amended) The <u>isolated</u> transformed cell of claim 13, wherein the nucleic acid encodes a polypeptide having a sequence as set forth incomprises SEQ ID NO:2.

20-43 (Cancelled).

- 44. (Currently amended) An array comprising a nucleic acid encoding a polypeptide comprising a sequence having at least 95% identity to SEQ ID NO:2SEQ ID NO:1, wherein the nucleic acid encodes a polypeptide including therein at least one of: (1) a domain having the function of the BIR1 domain and (2) a domain having the function of the RING domain, the polypeptide inhibiting the activity of a caspase.
- 45. (Cancelled).
- 46. (Currently amended) A method of making a recombinant polypeptide comprising expressing in an isolated transformed cell a nucleic acid encoding a polypeptide having at least 95% sequence identity to SEQ ID NO:2SEQ ID NO:1, wherein the nucleic acid encodes a polypeptide including therein at least one of: (1) a domain having the function of the BIR1 domain and (2) a domain having the function of the RING domain, the polypeptide inhibiting the activity of a caspase.

47-69 (Cancelled).

- 70. (Currently amended) The isolated or recombinant nucleic acid of claim 1, wherein the nucleic acid encodes a polypeptide includes including therein two BIR domains both a domain having the function of the BIR1 domain and a domain having the function of the RING domain.
- 71. (Currently amended) The isolated or recombinant nucleic acid of claim 70 wherein the BIR domains are a BIR1 domain and anucleic acid encodes a polypeptide further including therein a domain having the function of the BIR2 domain.

- 72. (Currently amended) The isolated or recombinant nucleic acid of claim 71 wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2 or a sequence related to residues 74 to 140 of SEQ ID NO:2 by one or more conservative amino acid substitutions, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2 or a sequence related to residues 182 to 249 of SEQ ID NO:2 by one or more conservative amino acid substitutions, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2 or a sequence related to residues 298 to 314 of SEQ ID NO:2 by one or more conservative amino acid substitutions.
- 73. (Currently amended) The isolated or recombinant nucleic acid of claim 72 wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2.
- 74. (Currently amended) The <u>isolated</u> expression cassette of claim 9, wherein the nucleic acid comprises a nucleic acid sequence as set forth in SEQ ID NO:1.
- 75. (Currently amended) The <u>isolated</u> expression cassette of claim 9, wherein the <u>nucleic</u> acid encodes a polypeptide <u>includes including</u> therein <u>two BIR domains both a domain having the function of the BIR1 domain</u> and a <u>domain having the function of the RING</u> domain.
- 76. (Currently amended) The <u>isolated</u> expression cassette of claim 75, wherein the <u>BIR</u> domains are a <u>BIR1</u> and <u>anucleic acid encodes a polypeptide further including therein a domain having the function of the BIR2 domain.</u>
- 77. (Currently amended) The <u>isolated</u> expression cassette of claim 76, wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence

of residues 74 to 140 of SEQ ID NO:2 or a sequence related to residues 74 to 140 of SEQ ID NO:2 by one or more conservative amino acid substitutions, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2 or a sequence related to residues 182 to 249 of SEQ ID NO:2 by one or more conservative amino acid substitutions, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2 or a sequence related to residues 298 to 314 of SEQ ID NO:2 by one or more conservative amino acid substitutions.

- 78. (Currently amended) The <u>isolated</u> expression cassette of claim 77, wherein the <u>domain</u> having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2, the <u>domain having the function of the BIR2</u> domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2, and the <u>domain having the function of the RING</u> domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2.
- 79. (Currently amended) The <u>isolated transformed</u> cell of claim 13, wherein the nucleic acid comprises a nucleic acid sequence as set forth in SEQ ID NO:1.
- 80. (Currently amended) The <u>isolated transformed</u> cell of claim 13, wherein the <u>nucleic acid</u> encodes a polypeptide <u>includesincluding</u> therein <u>two BIR domainsboth a domain having the</u> function of the BIR1 domain and a domain having the function of the RING domain.
- 81. (Currently amended) The <u>isolated transformed</u> cell of claim 80, wherein the BIR domains are a BIR1 domain and anucleic acid encodes a polypeptide further including therein a domain having the function of the BIR2 domain.
- 82. (Currently amended) The <u>isolated transformed</u> cell of claim 81, wherein the <u>domain</u> having the function of BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID No:2 or a sequence related to residues 74 to 140 of SEQ ID NO:2 by one or more conservative amino acid substitutions, the <u>domain having the function of BIR2</u>

domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2 or a sequence related to residues 189 to 249 SEQ ID NO:2 by one or more conservative amino acid substitutions, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2 or a sequence related to residues 298 to 314 of SEQ ID NO:2 by one or more conservative amino acid substitutions.

- 83. (Currently amended) The <u>isolated transformed</u> cell of claim 82, wherein the <u>domain</u> having the function of BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2, the <u>domain having the function of BIR2</u> domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2, and the <u>domain having the function of the RING</u> domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2.
- 84. (Currently amended) The array of claim 44, wherein the <u>polypeptide</u>nucleic acid comprises a nucleic acid sequence as set forth in SEQ ID NO:2.
- 85. (Currently amended) The array of claim 84, wherein the nucleic acid comprises a nucleic acid sequence as set forth in SEQ ID NO:1.
- 86. (Currently amended) The array of claim 44, wherein the nucleic acid encodes a polypeptide includes including therein two BIR domains both a domain having the function of BIR1 domain and a domain having the function of the RING domain.
- 87. (Currently amended) The array of claim 86, wherein the <u>BIR domains are a BIR1 domain</u> and anucleic acid encodes a polypeptide further including therein a domain having the function of the BIR2 domain.
- 88. (Currently amended) The array of claim 87, wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence residues 74 to 140 of SEQ ID NO:2 or a sequence related to residues 74 to 140 of SEQ ID NO:2 by one or more

conservative amino acid substitutions, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2 or a sequence related to residues 182 to 249 of SEQ ID NO:2 by one or more conservative amino acid substitutions, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2 or a sequence related to residues 298 to 314 of SEQ ID NO:2 by one or more conservative amino acid substitutions.

- 89. (Currently amended) The array of claim 88, wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2.
- 90. (Currently amended) The method of making a recombinant polypeptide of claim 46, wherein the nucleic acid encodes a polypeptide having a sequence a set forth incomprises SEQ ID NO:2.
- 91. (Currently amended) The method of making a recombinant polypeptide of claim 90, wherein the nucleic acid comprises a nucleic acid sequence as set forth in SEQ ID NO:1.
- 92. (Currently amended) The method of making a recombinant polypeptide of claim 46, wherein the nucleic acid encodes a polypeptide includes includes including therein two BIR domains both a domain having the function of the BIR1 domain and a domain having the function of the RING domain.
- 93. (Currently amended) The method of making a recombinant polypeptide of claim 92, wherein the <u>BIR domains are a BIR1 domain and anucleic acid encodes a polypeptide further including therein a domain having the function of the BIR2 domain.</u>

- 94. (Currently amended) The method of making a recombinant polypeptide of claim 93, wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2 or a sequence related to residues 74 to 140 of SEQ ID NO:2 by one or more conservative amino acid substitutions, the domain having the function of the BIR2 domain encoded by the nucleic acids has amino acid sequence of residues 182 to 249 of SEQ ID NO:2 or a sequence related to residues 182 to 249 of SEQ ID NO:2 by one or more conservative amino acid substitutions, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of resides 298 to 314 of SEQ ID NO:2 or a sequence related to residues 298 to 314 of SEQ ID NO:2 by one or more conservative amino acid substitutions.
- 95. (Currently amended) The method of making a recombinant polypeptide of claim 94, wherein the domain having the function of the BIR1 domain encoded by the nucleic acid has the amino acid sequence of residues 74 to 140 of SEQ ID NO:2, the domain having the function of the BIR2 domain encoded by the nucleic acid has the amino acid sequence of residues 182 to 249 of SEQ ID NO:2, and the domain having the function of the RING domain encoded by the nucleic acid has the amino acid sequence of residues 298 to 314 of SEQ ID NO:2
- 96. (Currently amended) An isolated expression cassette comprising at least one nucleic acid operably linked to a promoter, wherein the nucleic acid encodes a polypeptide having a sequence as set forth incomprising SEQ ID NO:2.
- 97. (New) The isolated nucleic acid of claim 1, wherein the polypeptide inhibits the activity of a caspase.
- 98. (New) The isolated nucleic acid of claim 97, wherein the polypeptide inhibits the activity of caspase-9.
- 99. (New) The isolated expression cassette of claim 9, wherein the polypeptide inhibits the activity of a caspase.

- 100. (New) The isolated expression cassette of claim 99, wherein the polypeptide inhibits the activity of caspase-9.
- 101. (New) The isolated cell of claim 13, wherein the polypeptide inhibits the activity of a caspase.
- 102. (New) The isolated cell of claim 101, wherein the polypeptide inhibits the activity of caspase-9.
- 103. (New) The array of claim 44, wherein the polypeptide inhibits the activity of a caspase.
- 104. (New) The array of claim 103, wherein the polypeptide inhibits the activity of caspase-9.
- 105. (New) The method of claim 46, wherein the polypeptide inhibits the activity of a caspase.
- 106. (New) The method of claim 105, wherein the polypeptide inhibits the activity of caspase-9.